



TEST REPORT

LAB NO. : (6616)194-1164
DATE : July 12, 2016
PAGE : 1 OF 9

Applicant :
LUMI LEGEND CORPORATION
22/F., BUILDING 1, LISI PLAZA, HUIFENG EAST ROAD, NINGBO, CHINA 315100

Date of Submission: July 12, 2016
Test Period: July 12, 2016 to July 12, 2016

Sample Description : Sample(s) received is(are) stated to be Healthy Study Desk&Chair
Test Item(s) : Details see page 2

Manufacturer: / Style No(s): B203,C301,C402,E502, E801
Buyer: / PO No.: /
Country of Origin: / Country of Destination: /

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION
Total Lead Content - Reference to California Proposition 65 & As Client's requirement	PASS
Total Cadmium Content - Reference to California Proposition 65 & As Client's requirement	PASS
Phthalates Content - Reference to California Proposition 65 & As Client's requirement	PASS

Note: The tested part of the sample was specified by client.
The composite testing was performed as per client's request.
The test conclusion was given based on the results of tested part.
The below results are transferred from (6616)179-2429 dated June 30, 2016.

REMARK

If there are questions or concerns on this report, please contact the following persons:

General enquiry and invoicing	Mr. Speed Yu/ Ms. Joanna Chen (021) 24166888*6832/6849 Speed.yu @cn.bureauveritas.com/ Joan.chen@cn.bureauveritas.com
Technical enquiry	Mr. Gordon Yu/ Ken He (021) 24166888*6852/6859 Gorden.yu @cn.bureauveritas.com/ Kenny.he@cn.bureauveritas.com

**BUREAU VERITAS
CONSUMER PRODUCTS SERVICES DIVISION (SHANGHAI)**

PREPARED BY : Kelly

Gorden Yu
Analytical Lab Manager

RW/2016

Bureau Veritas
Consumer Products Services Division (Shanghai)
No. 168, Guanghua Road, Zhuanqiao Town, Minhang,
Shanghai, China. Post Code: 201108
Tel: 86-21-24081888 Fax: 86-21-64895
Email: bvcps_sh_info@cn.bureauveritas.com
Http: www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/cps> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Sample Description Assigned by Laboratory:

Test Item	Description	Test Item	Description
1	Gray plastic	16	Pink/white plastic
2	Silvery metal	17	Pink plastic
3	Silvery metal	18	White coating
4	Silvery metal	19	Blue plastic
5	Silvery metal	20	Beige coating
6	White plastic	21	White/blue plastic
7	Gray plastic	22	Pink plastic
8	Gray plastic	23	Blue plastic
9	Gray plastic	24	White coating
10	White coating	25	Beige coating
11	White paper	26	Silvery metal
12	Black plastic	27	Blue plastic
13	Gray plastic	28	Gray/white plastic
14	Gray plastic	29	White plastic
15	Gray plastic	30	Pink plastic

Note:

g = gram(s)
mcg = microgram(s)
mg/kg = milligram per kilogram
mg/L = milligram per litre
MDL = Method Detection Limit
ND = Not Detected (< MDL)
EX = Exempted

% = percentage
1 mg/kg = 0.0001%
“<” = less than
“>” = Greater than
Req. = Requirement
“-” = Not Regulated
NA = Not applicable

Photo of the Submitted Sample





Photo of the Submitted Sample



Remark: The client declares that the above tested material will be used in below product. (The photo was provided by the client.)



B203



C301



C402



E502



E801



TEST RESULT

I. Total Lead Content - Reference to California Proposition 65 & As Client's requirement

Test Method : With reference to AOAC International OMA Method 974.02: 2004 or with reference to U. S. EPA 3051A: 2007.

Parameter	Unit	MDL	Result						Client Limit (mg/kg)
			1+9 +15	2	3	4	5	6+29	
Total Lead (Pb)	mg/kg	10	ND	27.7	24.6	36.9	31.2	ND	100
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result						Client Limit (mg/kg)
			7+8 +13	10	11	12	14+17 +19	16+21 +28	
Total Lead (Pb)	mg/kg	10	ND	ND	ND	ND	ND	ND	100
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result					Client Limit (mg/kg)
			18+24	20+25	22+27	23+30	26	
Total Lead (Pb)	mg/kg	10	25.6	15.1	ND	ND	32.4	100
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	-

Note / Key :

U. S. EPA = United States Environmental Protection Agency
 OMA = Official Methods of Analysis

II. Total Cadmium Content - Reference to California Proposition 65 & As Client's requirement

Test Method : With reference to AOAC International OMA Method 974.02: 2004 or with reference to U. S. EPA 3051A: 2007.

Parameter	Unit	MDL	Result						Client Limit (mg/kg)
			1+9 +15	2	3	4	5	6+29	
Total Cadmium (Cd)	mg/kg	10	ND	ND	ND	ND	ND	ND	300
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result						Client Limit (mg/kg)
			7+8 +13	10	11	12	14+17 +19	16+21 +28	
Total Cadmium (Cd)	mg/kg	10	ND	ND	ND	ND	ND	ND	300
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	PASS	-

Parameter	Unit	MDL	Result					Client Limit (mg/kg)
			18+24	20+25	22+27	23+30	26	
Total Cadmium (Cd)	mg/kg	10	ND	ND	ND	ND	ND	300
Conclusion	-	-	PASS	PASS	PASS	PASS	PASS	-

Note / Key :

U. S. EPA = United States Environmental Protection Agency
 OMA = Official Methods of Analysis



TEST RESULT

III. Phthalates Content - Reference to California Proposition 65 & As Client's requirement

Test Method : Extraction with solvent, analysed by Gas Chromatography Mass Spectrometer.

Phthalate	CAS No.	Result				Client Limit (%)
		1+9 +15	6+29	7+8 +13	10	
Dibutyl phthalate (DBP)	84-74-2	<0.005	<0.005	<0.005	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	<0.005	<0.005	<0.005	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	<0.005	<0.005	<0.005	<0.005	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-n-hexyl phthalate (DHP)	84-75-3	<0.005	<0.005	<0.005	<0.005	0.1
Conclusion	-	PASS	PASS	PASS	PASS	-

Phthalate	CAS No.	Result				Client Limit (%)
		11	12	14+17+1 9	16+21+2 8	
Dibutyl phthalate (DBP)	84-74-2	<0.005	<0.005	<0.005	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	<0.005	<0.005	<0.005	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	<0.005	<0.005	<0.005	<0.005	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-n-hexyl phthalate (DHP)	84-75-3	<0.005	<0.005	<0.005	<0.005	0.1
Conclusion	-	PASS	PASS	PASS	PASS	-


Phthalate	CAS No.	Result				Client Limit (%)
		18+24	20+25	22+27	23+30	
Dibutyl phthalate (DBP)	84-74-2	<0.005	<0.005	<0.005	<0.005	0.1
Butyl benzyl phthalate (BBP)	85-68-7	<0.005	<0.005	<0.005	<0.005	0.1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	<0.005	<0.005	<0.005	<0.005	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	<0.005	<0.005	<0.005	<0.005	0.1
Di-n-hexyl phthalate (DHP)	84-75-3	<0.005	<0.005	<0.005	<0.005	0.1
Conclusion	-	PASS	PASS	PASS	PASS	-

END



APPENDIX

Test Procedures Flow Chart for the determination of Phthalates





Annex

The client declared that the materials used of below Styles are same as tested style B203,C301,C402,E502, E801.

No.	Description
1	B201
2	B202
3	C302
4	C304
5	C401
6	C501
7	C502
8	E401
9	E402
10	E403
11	E501
12	E503
13	E504
14	E802
15	E803
16	E804

Remark:

Since the client was not able to provide the sample of additional Style, above additional Style(s) hasn't been tested, but only based on the guarantee letter provided by the client. Bureau Veritas-CPS takes no responsibility for any mistakes and the problems of product consistency caused by inaccurate and/or invalid information submitted by the client. The client will take the responsibility of all discrepancy and risk.